
# Concur

### **Nesting Table**






### **Concur Nesting Table**


Statement of Line	7
Specifications	9
Power	11
- eatures	13
Finish Colors	14
BD Desian Tool	16



Concur in Arctic White worksurface with Platinum frame


## **Statement of Line**





Frame Assembly

Optional







Modesty Panel





#### **Installation Time**

10 minutes per base, including worksurface

#### Care & Maintenance Instructions

Wipe with a damp cloth using water or gentle, nonabrasive cleaner. For guaranteed safety, patch test with diluted cleaner before wiping entire surface. Wipe dry with a clean cloth.

#### Warranty

10 years, including parts.

#### Certifications


ANSI/BIFMA X5.5-2014 ETL Listed, UL Recognized Indoor Advantage Gold™

## **Specifications**

Frame width	47.25", 59.05" and 70.85"
Frame Color	Platinum and White
Width between front legs	44.5", 56.25" and 68.1"
Width between rear legs	40.75", 52.5" and 64.35"
Leg Depth	21"
Cantilever Depth	13.75"
Height (excluding top)	28.5"
Worksurface widths	48", 60" and 72"
Worksurface depths	24" and 30"
Worksurface thickness	1"
Modesty Panel	Steel
Modesty Panel Width	39.5", 51.25" and 63.1"
Modesty Panel Height	14"
Clearance between Modesty Panel and Floor	12"
Castors	Soft, Height Adjustable, Locking
Weight Capacity	200 lbs
Frame weight without top	27 lbs
Power in-feed length	72"
Power Box	2 electrical outlets with worksurface clamp
Certifications	BIFMAX5.5-2014
Electrical Compliance	ETL Listed, UL Recognized




### **Power**



- Power infeed with control box and 6' cord.
- Directional, cannot be back fed
- Connections are non-squential
- Visual indicator of system status
- Connect up to 8 Concur Tables from a single 15 am corded infeed.
- ETL Listed
- UL Recognized



### **Features**



Push button flip/lock/nest functionality



48", 60" and 72" wide / 24" and 30" deep



Optional modestly panel



Optional ganging kit for consistent clean rows and layouts



Locking castors with height adjustability




Two bag drop hooks per table




Optional power distribution system connects up to eight tables



### **Finishes**







Design and export a customized cut sheet for Concur products in our online 3D Design Tool: amqsolutions.com/concur