
Bixby Lite Work

Collaborative Chair



A M Q

Statement of Line



Body




Back Cushion



Seat Cushion




Armrests



Base



Castors



Drafting Ring



Extended Cylinder

Features

Height adjustable

Breathable, flexible perforated back design

Contoured seat reduces pressure points and evenly distributes weight for greater comfort

Fixed arms or armless

Fully upholstered, upholstered seat, upholstered back or all plastic

4 frame colors, 8 interchangeable plastic seat/back colors

Seat and back cushion available in 11 fabric colors

Optional Drafting Ring Lift Extension

Ships Fully Assembled



Armless Chair



Chair



Armless Stool



Stool

Finishes

Seat / Backrest Plastics

PC1 Black	PC2 Sterling Dark	PC3 Platinum	PC4 Arctic White
PC5 Picasso	PC6 Wasabi	PC7 Flash	PC8 Chili

Frame

PC1 Black	PC2 Sterling Dark	PC3 Platinum	PC4 Arctic White
--------------	----------------------	-----------------	---------------------

Seat / Backrest Cushion Fabrics Era Collection

ER.5ER0 Cobalt	ER.5ER2 Blue Nickel	ER.5ER3 Pistachio	ER.5ER4 Canary
ER.5ER6 Truffle	ER.5ER7 Saffron	ER.5ER9 Onyx	ER.5ES0 Scarlet
ER.5ES2 Oatmeal	ER.5ES7 Night Owl	ER.AMQ1 Stone	



Specifications

Arms Span (outside edges)	25"
Back Dimensions	19"w x 17.5"h
Back Height from Floor	32.1" - 36.1" 39.3" - 47.3" (Stool)
Base Materials	Polished Aluminum & Nylon
Body Material	Steel
Castors	Soft PU (Black or 2-tone Grey)
Certifications	BIFMA X5.1-2017
Cushion Seats	Polyurethane fill
Net Weight	20 lbs
Seat Dimension	17.5"w x 18.25"d
Seat Height from Floor	15.8" - 19.8" 21.8" - 29.8" (Stool)
Weight Capacity	275 lbs

Installation Time

Always ships fully assembled, no installation required.

Care & Maintenance Instructions

Fabric: Wipe lightly with a damp soapy cloth.
Rinse with cold water and wipe dry with a clean cloth.
Frames: Wipe lightly with a damp cloth, using a gentle cleaner if needed.

Warranty

10 years, including parts and approved labor.

Certifications

ANSI/BIFMA X5.1-2017
TB117-2013
Indoor Advantage Gold™